

RECEIVED 27
MAY 30 2003
39
CENTER 1600/2900
37

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 11669.116USU1	Application Number: 09/592,695
		Applicant: COCHRAN ET AL.	
		Filing Date: JUNE 13, 2000	Group Art Unit: 1627



EXAMINER <i>J. Wessely</i>	DATE CONSIDERED <i>8/10/03</i>
----------------------------	--------------------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)			Docket Number: 11669.118US01	Application Number: 09/836,770 <u>09/592,655</u>
			Applicant: COCHRAN ET AL.	
			Filing Date: APRIL 17, 2001	Group Art Unit: 1639
			Customer No.: 23552	

*H38
SHP
10-1-03*

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
FOREIGN PATENT DOCUMENTS						
	DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION
						YES
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)						
<i>T. Weimandy</i>		Blanco, F. et al., "NMR Evidence of a Short Linear Peptide That Folds into a β -Hairpin in Aqueous Solution," <u>J. Am. Chem. Soc.</u> , 115(13):5887-5888 (1993).				
		Chou, P. et al., "Empirical Predictions Of Protein Conformation," <u>Ann. Rev. Biochem.</u> , 47:251-276 (1978).				
		Constantine, K. et al., "Structural and Dynamic Properties of a β -Hairpin-Forming Linear Peptide. 1. Modeling Using Ensemble-Averaged Constraints," <u>J. Am. Chem. Soc.</u> , 117(44):10841-10854 (1995).				
		de Alba, E. et al., "Conformational investigation of designed short linear peptides able to fold into β -hairpin structures in aqueous solution," <u>Folding & Design</u> , 1(2):133-144 (February 26, 1996).				
		de Alba, E. et al., "Cross-strand side-chain interactions versus turn conformation in β -hairpins," <u>Protein Science</u> , 6:2548-2560 (1997).				
		de Alba, E. et al., "Interactions responsible for the pH dependence of the β -hairpin conformational population formed by a designed linear peptide," <u>Eur. J. Biochem.</u> , 233:283-292 (1995).				
		de Alba, E. et al., "Turn Residue Sequence Determines β -Hairpin Conformation in Designed Peptides," <u>J. Am. Chem. Soc.</u> , 119(1):175-183 (1997).				
		Friedrichs, M. et al., "Structural and Dynamic Properties of a β -Hairpin-Forming Linear Peptide. 2. ^{13}C NMR Relaxation Analysis," <u>J. Am. Chem. Soc.</u> , 117(44):10855-10864 (1995).				
		Griffiths-Jones, S. et al., "Dissecting the Stability of a β -Hairpin Peptide that Folds in Water: NMR and Molecular Dynamics Analysis of the β -Turn and β -Strand Contributions to Folding," <u>J. Mol. Biol.</u> , Vol. 292, pp. 1051-1069 (1999).				
		Griffiths-Jones, S. et al., "NMR evidence for the nucleation of a β -hairpin peptide conformation in water by an Asn-Gly type I' β -turn sequence," <u>Chem. Commun.</u> , pp. 789-790 (1998).				
<i>V</i>		Haque, T. et al., "Insights on β -Hairpin Stability in Aqueous Solution from Peptides with Enforced Type I' and Type II' β -Turns," <u>J. Am. Chem. Soc.</u> , 119:2303-2304 (1997).				

EXAMINER <i>T. Weimandy</i>	DATE CONSIDERED <i>8/29/03</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION <small>(Use several sheets if necessary)</small>		Docket Number: 11669.118US01	Application Number: 09/836,770 <u>592,695</u>
		Applicant: COCHRAN ET AL.	
		Filing Date: APRIL 17, 2001	Group Art Unit: 1639
		Customer No.: 23552	

<i>Th</i>	Hutchinson, E. et al., "Determinants of strand register in antiparallel β -sheets of proteins," <u>Protein Science</u> , 7:2287-2300 (1998).
	Kim, C. et al., "Thermodynamic β -sheet propensities measured using a zinc-finger host peptide," <u>Nature</u> , 362:267-270 (March 18, 1993).
	Kobayashi, N. et al., "Fragment Reconstitution of a Small Protein: Disulfide Mutant of a Short C-Terminal Fragment Derived from Streptococcal Protein G," <u>Biochemistry</u> , 38(11):3228-3234 (1999).
	Kobayashi, N. et al., "Role of Side-chains in the Cooperative β -Hairpin Folding of the Short C-Terminal Fragment Derived from Streptococcal Protein G," <u>Biochemistry</u> , 39(21): 6564-6571 (2000).
	Mattos, C. et al., "Analysis of Two-residue Turns in Proteins," <u>J. Mol. Biol.</u> , 238:733-747 (1994).
	Maynard, A. et al., "NMR structural analysis of a β -hairpin peptide designed for DNA binding," <u>Chem. Commun.</u> , pp. 1297-1298 (1997).
	Maynard, A. et al., "Origin of β -Hairpin Stability in Solution: Structural and Thermodynamic Analysis of the Folding of a Model Peptide Supports Hydrophobic Stabilization in Water," <u>J. Am. Chem. Soc.</u> , 120(9):1996-2007 (1998).
	Minor, Jr., D. et al., "Context is a major determinant of β -sheet propensity," <u>Nature</u> , 371:264-267 (September 15, 1994).
	Minor, Jr., D. et al., "Measurement of the β -sheet-forming propensities of amino acids," <u>Nature</u> , 367:660-663 (February 17, 1994).
	Muñoz, V. et al., "Intrinsic Secondary Structure Propensities of the Amino Acids, Using Statistical ϕ - ψ Matrices: Comparison With Experimental Scales," <u>Proteins: Structure, Function, and Genetics</u> , 20:301-311 (1994).
	Ried, C. et al., "High Affinity Endotoxin-binding and Neutralizing Peptides Based on the Crystal Structure of Recombinant <i>Limulus</i> Anti-lipopolysaccharide Factor," <u>Journal of Biological Chemistry</u> , 271(45):28120-28127 (November 8, 1996).
	Rohrer, S. et al., "Rapid Identification of Subtype-Selective Agonists of the Somatostatin Receptor Through Combinatorial Chemistry," <u>Science</u> , 282:737-740 (October 23, 1998).
	Searle, M. et al., "A short linear peptide derived from the N-terminal sequence of ubiquitin folds into a water-stable non-native β -hairpin," <u>Nature Structural Biology</u> , 2(11):999-1006 (November 1995).
	Smith, C. et al., "A Thermodynamic Scale for the β -Sheet Forming Tendencies of the Amino Acids," <u>Biochemistry</u> , 33(18):5510-5517 (1994).
	Smith, C. et al., "Guidelines for Protein Design: The Energetics of β Sheet Side Chain Interactions," <u>Science</u> , 270:980-982 (November 10, 1995).
<i>V</i>	Syud, F. et al., "Interstrand Side Chain-Side Chain Interactions in a Designed β -Hairpin: Significance of Both Lateral and Diagonal Pairings," <u>J. Am. Chem. Soc.</u> , 123(36):8667-8677 (2001).

EXAMINER <i>T. Ahrens</i>	DATE CONSIDERED <i>8/29/03</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 11669.118US01	Application Number: 09/836,770 <i>592,695</i>
		Applicant: COCHRAN ET AL.	
		Filing Date: APRIL 17, 2001	Group Art Unit: 1639
		Customer No.: 23552	

<i>Tdr</i>		Wouters, M. et al., "An Analysis of Side Chain Interactions and Pair Correlations Within Antiparallel β -Sheets: The Differences Between Backbone Hydrogen-Bonded and Non-Hydrogen-Bonded Residue Pairs," <u>Proteins: Structure, Function, and Genetics</u> , 22:119-131 (1995).
------------	--	---

EXAMINER <i>T. Alexander</i>	DATE CONSIDERED <i>8/29/03</i>
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	